

TECHNICAL DATA PACKAGE

IIIN: 004891853 VERSION: 001
ITEM NAME: SHROUD-SECTOR, TURBI

PAGE 1
JUNE 23, 1998

1. SCOPE

1.1 Articles to be furnished hereunder shall be manufactured, tested and inspected in accordance with <GENERAL ELECTRIC COMPANY> drawing number (<99207>) <4017T03G07> , Revision **AB** and all details and specifications referenced therein.

1.2 Unless expressly provided for elsewhere in this clause, equipment such as fixtures, jigs, dies, patterns, jigs, special tooling, test equipment, or any other manufacturing aid required for the manufacture and/or testing of the subject item(s) will not be provided by the Government or any other source and is the sole responsibility of the contractor. The foregoing applies notwithstanding any reference to such equipment or the furnishing thereof that may be contained in any drawing or referenced specification.

1.3 The use of MIL-W-81381 wire in any item to be delivered under this procurement is prohibited. The foregoing prohibition applies notwithstanding any reference to MIL-W-81381 wire that may be made in any of the drawings or specifications for this procurement. MIL-W-22769 series wire shall be used in lieu of MIL-W-81381 wire, in any place where MIL-W-81381 wire is cited in this procurement. Any questions concerning this requirement should be directed to the Procuring Contracting Officer.

1.4 If MIL-STD-454 is referenced in the drawings or in the specification, the contractor is expected to show compliance with MIL-STD-2000A. Personnel performing tasks in accordance with MIL-STD-2000A shall be trained and certified as required by MIL-STD-2000A paragraph 5.1.4.

1.5 The contractor shall include on the detailed process/operation sheets developed, (1) all in house manufacturing processes and (2) the identity of all manufacturing sources performing processes/operations outside their facility. These sheets shall not be revised or altered after the successful completion of First Article or Production Lot Testing without approval from the Basic Design Engineering activity, via the PCO.

1.6 The Inspection Method Sheets which list the characteristics of each item produced under the contract shall have serial number traceability to the raw material, casting, or forging.

1.7 Markings shall be in accordance with MIL-STD-130, Revision <H> , paragraphs 5.3.3 (a), (b), (c) and (g). Method and location shall be in accordance with drawing.

2. APPLICABLE DOCUMENTS

2.1

DRAWING NO.	CAGE	REV	DOC TYPE	DISTR CD	SHEET NR	REV	TYPE	SIZE
4014T03G07	99207	AB		X				

3. REQUIREMENTS - NOT APPLICABLE

4. QUALITY ASSURANCE

4.1 The tests to be performed under the First Article approval clause (FAR 52.209-3) of the contract are listed below

4.1.1 Dimensional test (special)

<APPLIES/ 100% DIMENSIONAL INSPECTION PERFORMED AT THE CONTRACTORS PLANT>

4.1.2 Requirements of:

<N/A>

4.1.3 Form

<APPLIES>

4.1.4 Fit

<MAY BE REQUIRED>

4.1.6 Function

<N/A>

4.1.8 Compliance with drawing (<99207>) <4014T03G07> , Revision **AB** and specifications referenced therein.

4.2 In addition to the above tests, the First Article(s) to be delivered hereunder shall also be subjected to those tests which will demonstrate that the article(s) comply with the contract requirements

4.3 The contractor shall be responsible for providing the necessary parts and repair of the First Article Sample(s)

TECHNICAL DATA PACKAGE

IIIN: 004801853 VERSION: 001
ITEM NAME: SHROUD-SECTOR, TURBI

PAGE 2
JUNE 23, 1988

during testing.

1.4 The contractor shall notify the PCO, ACO, and QAR fourteen (14) days prior to conducting the First Article test so that the Government may witness such testing.

1.4.1 The QAR shall be present to witness all First Article Testing.

1.4.2 The following additional personnel shall witness the First Article Testing: <NADEP CHERRY POINT/NAVICP 0733>

1.5 Disposition of FAT samples

1.5.1 < > Sample(s) shall not be returned to the contractor because they shall be destroyed during testing.

1.5.2 <APPLIES> Unless otherwise provided for in the contract, sample(s) shall be returned to the contractor and may be considered as production items under the contract provided the sample(s) can be refurbished to ready for issue condition and provided the sample(s) have inspection approval of the cognizant DCMC QAR. Sample(s) may be shipped as production items only after all other units required under the contract have been produced and are ready for shipment.

1.5.3 < > Sample(s) shall be returned to the contractor but shall not be considered as production due.

1.6 Test Sample Coating Instructions

1.6.1 Samples are to be unpainted. Corrosive areas are to be coated with a light preservative.

1.7 Notice to Government of Testing

1.7.1 FAR 52.209-3 applies

A) The contractor shall deliver <2> unit(s) of the following CAGE(<89207>), Part Number <4014T03G07> , Revision <AB> as specified in this contract. At least fourteen (14) calendar days before the beginning of the first Article testing, the contractor shall notify the contracting officer, in writing, of the time and location of the testing so that the Government may witness the tests.

B) The contractor shall submit the First Article Test Report within 15 calendar days from the date of testing to: NADEP CHERRY POINT ATTENTION MS BETTY LUPTON: CODE 6.3.874 CAS CHERRY POINT, N.C. 28533

AVICP PHILADELPHIA CODE 0733.XX COPY>

The contractor shall mark the report "First Article Test Report" and cite the contract number and lot/item number. Review documentation as provided under the DD1423 requirements.

C) Within 45 calendar days after the Government receives the First Article, the contracting officer shall notify the contractor, in writing, of the approval, conditional approval, or disapproval of the First Article. The notice of approval, conditional approval, or disapproval shall not relieve the contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval shall state any further action required of the contractor. A notice of disapproval shall cite reasons for disapproval.

D) If the First Article is disapproved, the contractor, upon Government request shall repeat any or all First Article Tests. After each request for additional tests, the contractor shall make any necessary changes, modifications, or repairs to the First Article or select another First Article for testing. All costs related to these tests are to be borne by the contractor, including any and all costs for additional tests following a disapproval. The contractor shall then conduct the tests and deliver another report to the Government under the same terms and conditions and within the time specified in paragraph B above. The Government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule or for any additional costs to the Government related to these tests.

E) If the contractor fails to deliver any First Article on time, or the contracting officer disapproves any First Article, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause of this contract.

F) Unless otherwise provided in the contract, and if the approved First Article is not consumed or destroyed in testing, the contractor may deliver the approved First Article as part of the contract quantity if it meets all contract requirements for acceptance.

G) If the Government does not act within the time specified in paragraph (C) above the contracting officer, shall, upon timely written request from the contractor, equitably adjust under the Changes clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.

H) Before First Article Approval, the acquisition of materials or components for, or the commencement of production, the balance of the contract quantity is at the sole risk of the contractor. Before First Article approval, the

TECHNICAL DATA PACKAGE

IIIN: 004891853 VERSION: 001
ITEM NAME: SHROUD-SECTOR, TURBI

PAGE 3
JUNE 23, 1988

Costs thereof shall not be allocated to this contract for 1) progress payments, or 2) termination settlements if the contract is terminated for the convenience of the Government. The contractor is responsible for providing operating and maintenance instructions, spare parts, and repair of the First Article during any First Article test.

I) The contractor shall produce both the First Article and the production quantity at the same facility and shall submit a certification to the effect with each First Article.

J) The test report (2 copies) shall be in accordance with MIL-STD-883, unless otherwise specified on the DD1423, and shall be submitted via the cognizant DCMC to the NAVICP, ATTN: (Cite name and code in Block 10.a of the SF33). The DCMC shall provide comments on Form DD1222 (2 copies) which shall be forwarded with the test report. Approval of the test report is the PCO's responsibility. Upon notification of approval, condition approval, the ACO shall execute the DD250 to indicate Government acceptance of the test report.

8.8 Alternate Offers - Waiver of First Article Approval Requirements. (The following provisions supersede any waiver of First Article Approval Requirements terms set forth in clause 52.209-3 or 52.209-4 as appropriate)

A) Unless otherwise specified in the solicitation, the Naval Inventory Control Point reserves the right to waive the First Article Approval Requirements specified herein for offerors who have previously furnished identical production articles accepted by the Government or the Original Equipment Manufacturer/Prime Manufacturer. An offeror requesting waiver of First Article Requirements shall submit evidence with its offer establishing that:

I) the last production unit was delivered within three (3) years of the issue date of this solicitation, and
II) the production location to be used for this requirement is the same as used for the previous production run.

Additionally, the offeror shall submit a certification, to be executed by the officer or employee for the offer, stating that:

I) the articles to be provided will be produced using the same facilities, processes, sequences of operations and approved subcontractors as those previously delivered and accepted by the Government or the Original Equipment Manufacturer/Prime Manufacturer, and

II) the previous production units were manufactured without Material Review Board disposition or waiver/deviation request or rejection of pre-production samples for cause.

NOTE: This certification concerns a matter within the jurisdiction of an agency of the United States and the making of a false, fictitious, or fraudulent certification may render the maker subject to prosecution under Title 18, United States Code, Section 1001.)

B) Offerors requesting waiver of First Article Approval Requirements under the provisions of this clause are authorized to submit two prices for articles required herein - one that is based on compliance with the First Article Approval Requirements and one that is based on a waiver of such requirements. Where an offeror submits only one price and fails to clearly state that the price is based on waiver of the First Article Approval Requirements it will be deemed to be based on compliance with the First Article Approval Requirements.

C) In the event of the First Article Approval Requirement is granted, the delivery schedule for the production items shall be reduced by the number of days designated for delivery of First Article Test unit plus the number of calendar days indicated for the government notification of conditional approval or approval. These requirements are specified in the quality assurance section of this solicitation. If the offeror is unable to meet the desired schedule, he shall insert below the alternate delivery schedule he offers to the government.

Offeror's Proposed Alternate Delivery Schedule
(Based on waiver of First Article Approval Requirements)

Within Days:

Item No. _____ Quantity: _____ After Date of Contract: _____

9.9 Production Lot Test Requirements: The tests to be performed under the production lot sample testing provisions of the contract are as follows:

9.9.1 Workmanship
Production lot samples shall be inspected to determine general workmanship.

9.9.2 Dimension check
Production lot samples shall be inspected to determine compliance with applicable drawings and/or specifications.
<APPLIES>

9.9.3 Form:
<APPLIES>

9.9.4 Fit:
<N/A>

9.9.5 Function:
<N/A>

TECHNICAL DATA PACKAGE

IIIN: 004891652 VERSION: 001
ITEM NAME: SHROUD-SECTOR, TURBI

PAGE 4
JUNE 23, 1998

1.9.6 Requirement of:
<N/A>

1.10 In addition to the above tests, the production lot samples to be delivered hereunder shall also be subjected to those tests which will demonstrate that the samples comply with the contract requirements.

1.11 The contractor will be responsible for providing the necessary parts and repair of the production lot samples during testing.

1.12 Disposition of test samples

1.12.1 < > Samples shall not be returned to the contractor because they shall be destroyed during testing.

1.12.2 <APPLIES> Unless otherwise provided for in the contract, samples shall be returned to the contractor and may be considered as production items under the contract provided the samples can be refurbished to Ready For Issue condition and provided the samples have inspection approval of the cognizant DCMC QAR. Samples may be shipped as production items only after all other units required under the contract have been produced and are ready for shipment.

1.12.3 < > Samples shall be returned to the contractor but shall not be considered as production due.

1.13 Production Lot Test Criteria:

1.14 (A) As specified in this contract, the contractor shall test <2> selected at random by the cognizant Government Inspector (DCMC) as production lot samples. At least fourteen (14) calendar days before beginning the production lot sample tests, the contractor shall notify the contracting officer, in writing, of the time and location of the testing so the Government may witness the tests.

(B) The contractor shall submit the Production Lot Sample Test Report within 15 calendar days from the date of testing. Forward copies of the report in accordance with the distribution cited on the DD1423. Mark reports as follows: "Production Lot Sample Test Report, Contract No. _____ Lot/item No. ____." Within forty-five (45) calendar days after the Government receives the test report, the contracting officer shall notify the contractor, in writing, of the approval, conditional approval, or disapproval of the production lot samples. A notice of disapproval shall cite the reasons for the disapproval. Unless expressly permitted elsewhere in this contract, the delivery of the production articles shall not be made until after notification by the Government of the approval/disapproval of the production lot samples; any production items delivered prior to the notification of the approval/disapproval of the production lot samples shall be at the contractor's risk.

(C) In the event the contractor does not receive written notification of approval or disapproval of the samples for a particular production lot within forty-five (45) days from their submission for such testing, the contract delivery schedule shall be equitably adjusted as necessary.

(D) If the contractor fails to deliver the test report for any production lot samples within the time or times specified, or if the Contracting Officer disapproves any production lot samples, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause of this contract, and this contract shall be subject to termination for default.

(E) In order for a production lot to be acceptable, all samples representative of the lot must pass all of the contract requirements. In the event a sample fails to pass such requirements the lot will be rejected. In such event, the Government may, at its option and at no additional cost to the Government, (I) terminate all or any portion of this contract for default, (II) require the manufacture of a new production lot, or a rework of the rejected production lot if the means and procedures proposed by the contractor for rework are acceptable to the Government, or (III) require the submission of additional samples for test. The foregoing procedures shall apply to new or reworked production lots in the same way as they did to the original production lot.

(F) For each additional sample or each resubmission of a modified sample which the contractor is required to submit for approval hereunder as a result of the failure of a previous sample to conform to the requirements of the specifications, the contractor shall pay the Government the costs of reinspection, shipping, examination, and retesting by the Government, and the contractor and his sureties (if any) shall be liable for the amount of such costs.

1.15 ALTERNATE OFFERORS - Waiver of Production Lot Testing Approval Requirements

Unless otherwise specified in Section E of this solicitation, the Naval Inventory Control Point reserves the right to waive the Production Lot Testing Approval Requirements specified herein for offerors who have previously furnished IDENTICAL production articles accepted by the Government or the Original Equipment Manufacturer/Prime Manufacturer. An offeror requesting waiver of Production Lot Testing Approval Requirements shall submit evidence with its offer establishing that:

(I) the last production unit was delivered within three (3) years of the issue date of this solicitation and

(II) the production location to be used for this requirement is the same as used for the previous production

unit

TECHNICAL DATA PACKAGE

IIIN: 004801053 VERSION: 001
ITEM NAME: SHROUD-SECTOR, TURBI

PAGE 5
JUNE 23, 1998

Additionally, the offeror shall submit a certification, to be executed by the officer or employee responsible for the offer, stating that:

(I) the articles to be provided will be produced using the same facilities, processes, sequence of operations and approved subcontractors as those previously delivered and accepted by the Government or the Original Equipment Manufacturer/Prime Manufacturer, and

(II) the previous production units were manufactured without Material Review Board disposition or waiver/deviation request or rejection of pre-production samples for cause.

NOTE: This certification concerns a matter within the jurisdiction of an agency of the United States and the making of a false, fictitious, or fraudulent certification may render the maker subject to prosecution under Title 18, United States Code, Section 1001.)

(B) In the event waiver of the Production Lot Testing Approval Requirements is granted, the delivery schedule for the production units shall be one hundred and sixty-five (165) days earlier than that which is desired had the waiver not been granted. If the offeror is unable to meet the desired schedule, he shall insert below the alternate delivery schedule he offers the government.

Offeror's Alternative Proposed Delivery Schedule
(Based on waiver of Production Lot Testing Approval Requirements)

Within Days:

Item No. _____ Quantity: _____ After Date of Contract: _____

1.18 . Mandatory Inspection Requirements:

100% Procurement Contracting Officer (PCO) mandatory inspection is required and shall be accomplished at source under the surveillance and final approval of the cognizant DCMAO Quality Assurance Representative (QAR).

During production, mandatory inspection is required to be accomplished by the contractor as follows:

- A. Level of Inspection (LOI).
1. Critical characteristics: 100% inspection shall apply.
 2. Major and Minor characteristics: LOI shall be in accordance with a _____ sampling plan acceptable to the QAR.
- B. Critical characteristics:
<NONE>
- C. Major and Minor characteristics
1. Shall be defined by the contractor subject to QAR concurrence, _____ unless defined on applicable drawings and associated specifications.

3. PACKAGING- MIL-STD 2073 PACKAGING APPLIES AS FOUND ELSEWHERE IN THE SCHEDULE

3. NOTES - NOT APPLICABLE

CONTRACT DATA REQUIREMENTS LIST

(2 Data Items)

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT	C. CATEGORY: TDP <input checked="" type="checkbox"/> TM <input type="checkbox"/> OTHER <input type="checkbox"/>	
D. SYSTEM/ITEM SHROUD-SECTOR.TURBI		E. CONTRACT/PR NO.		F. CONTRACTOR
1. DATA ITEM NO.	2. TITLE OF DATA ITEM CERTIFICATION DATA/REPORTS		3. SUBTITLE COMPLETE PROCES/OPERATION SHTS	

4. AUTHORITY (Data Acquisition Document No.) DI-MISC-80078/T1		5. CONTRACT REFERENCE NA		6. REQUIRING OFFICE NADEP
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION ASREQ	14. DISTRIBUTION
8. APP CODE A		11. AS OF DATE NA	13. DATE OF SUBSEQUENT SUBMISSION ASREQ	

16. REMARKS Paragraphs 10.1, 10.2, 10.2.1, 10.2.2, 10.2.4 and 10.5 apply. Block 9: Statement B, US Government, Naval Inventory Control Point Block 12: First submission to be made upon submission of <FIRST ARTICLE/PRODUCTION LOT/CONTRACT COMPLETION> testing sample. * Block 14: Make submission to <NADEP CHERRY POINT NAVICP> Block 13: Second submission required if the process/operation changes after approval of <FIRST ARTICLE/PRODUCTION LOT/CONTRACT COMPLETION> test. ** Block 14: Make submission to <NADEP CHERRY POINT/NAVICP> Block 14: When NAVICP 02 is referenced in distribution, forward to the NAVICP code cited on Block 10.A. on page 1.	15. ADDRESSSEE	b. COPIES		
	NADEP	00	01	00
	NAVICP/0733	00	01	00
	SEE BLK 16 *	00	01	00
	SEE BLK 18 **	00	01	00
	15. TOTAL →	00	04	00

1. DATA ITEM NO.	2. TITLE OF DATA ITEM CERTIFICATION DATA/REPORTS	3. SUBTITLE COMPLETED INSPECTION MTHO SHTS	
4. AUTHORITY (Data Acquisition Document No.) DI-MISC-80078/T2		5. CONTRACT REFERENCE NA	
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION ASREQ
8. APP CODE A		11. AS OF DATE NA	13. DATE OF SUBSEQUENT SUBMISSION ASREQ

16. REMARKS Paragraphs 10.1, 10.2, 10.2.1, 10.2.2, 10.2.4 and 10.5 apply. Block 9: Statement B, US Government, Naval Inventory Control Point Block 12: First submission to be made upon submission of <FIRST ARTICLE/PRODUCTION LOT/CONTRACT COMPLETION> testing sample. * Block 14: Make submission to <NADEP CHERRY POINT/NAVICP> ** Block 14: Make submission to ASD codes at time of contract completion. Block 14: When NAVICP 02 is referenced in distribution, forward to the NAVICP code cited on Block 10.A. on page 1.	15. ADDRESSSEE	b. COPIES		
	CAO/QAR	00	01	00
	NADEP	00	01	00
	NAVICP/0733	00	01	00
	SEE BLK 16 *	00	01	00
	15. TOTAL →	00	04	00

G. PREPARED BY W00383 0733.3	H. DATE 1998 JUN 22	I. APPROVED BY ROBERT W. HUGHES	J. DATE 1998 JUN 22
--	-------------------------------	---	-------------------------------

DD Form 1423-2, JUN 90

Previous editions are obsolete

Page 1 of 3 Pages

S/N 0102-LF-010-8800

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST (2 Data Items)					Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.</small>						
A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY: TDP <input checked="" type="checkbox"/> TM <input type="checkbox"/> OTHER <input type="checkbox"/>		
D. SYSTEM/ITEM SHROUD-SECTOR, TURBI		E. CONTRACT/PR NO.		F. CONTRACTOR		
1. DATA ITEM NO.		2. TITLE OF DATA ITEM CERTIFICATION DATA/REPORTS		3. SUBTITLE NA		
4. AUTHORITY (Data Acquisition Document No.) DI-MISC-80978/T3		5. CONTRACT REFERENCE NA		6. REQUIRING OFFICE NAVICP		
7. DD 250 REQ LT		9. DIST STATEMENT REQUIRED		10. FREQUENCY ASREQ		12. DATE OF FIRST SUBMISSION ASREQ
8. APP CODE A		11. AS OF DATE NA		13. DATE OF SUBSEQUENT SUBMISSION ASREQ		14. DISTRIBUTION
16. REMARKS				a. ADDRESSEE		b. COPIES Draft Reg Repr
<p>Paragraphs 10.1, 10.2, 10.2.1, 10.2.2, 10.2.4 and 10.5 apply. Block 9: Statement B, US Government, Naval Inventory Control Point Block 14: When NAVICP 02 is referenced in distribution, forward to the NAVICP code cited on Block 10.A. on page 1. Block 3: Separate reports shall be provided for the below listed subtitles and shall include certification that all vendors performing these processes are prime (OEM) approved sources. In the case where other than the OEM's specifications are to be utilized, separate certifications are required. BLOCK #5: Contract Reference: <CERTIFICATION OF APPROVED MATERIAL SOURCE CERTIFICATION OF SPECIAL PROCESS AS NOTED: FPI PER P3TF2 / HONEYCOMB IAW P29TF8 / HONEYCOMB PER NOTE 7 AND ALL SPECIFICATIONS></p>				NADEP		00 01 00
				NAVICP/0733		00 01 00
						15. TOTAL
1. DATA ITEM NO.		2. TITLE OF DATA ITEM REQUEST FOR DEVIATION (RFD)		3. SUBTITLE NA		
4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80640B		5. CONTRACT REFERENCE NA		6. REQUIRING OFFICE NAVICP		
7. DD 250 REQ LT		9. DIST STATEMENT REQUIRED		10. FREQUENCY ASREQ		12. DATE OF FIRST SUBMISSION ASREQ
8. APP CODE A		11. AS OF DATE NA		13. DATE OF SUBSEQUENT SUBMISSION NA		14. DISTRIBUTION
16. REMARKS				a. ADDRESSEE		b. COPIES Draft Reg Repr
<p>Block 6: Forward additional copy to ASO code cited in Block 10.A on page 1.</p> <p>1. This Data Item Description (DID) contains the format, content and preparation instructions for the data product resulting from the work task described in paragraph 5.4.3.4 or 5.4.8.3.3 of MIL-STD-973. 2. Copies of the Request for Waiver form are available from the DODSSP, Standardization Documents Order Desk, Building 40, 700 Robbins Avenue, Philadelphia, PA 19111-5094</p> <p>3. Format and Content: The request for Deviation format and content shall be in accordance with Appendix E of MIL-STD-973</p>				NAVICP/0733		00 01 00
						15. TOTAL
G. PREPARED BY M00383 0733.3		H. DATE 1988 JUN 22		I. APPROVED BY ROBERT W. HUGHES		J. DATE 1988 JUN 22

CONTRACT DATA REQUIREMENTS LIST <small>(2 Data Items)</small>						Form Approved OMB No. 0704-0188					
<small>Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contracting Officer for the Contract/PR No. listed in Block E.</small>											
A. CONTRACT LINE ITEM NO.		B. EXHIBIT	C. CATEGORY: TDP <input checked="" type="checkbox"/> TM _____ OTHER _____								
D. SYSTEM/ITEM SHROUD-SECTOR,TURBI			E. CONTRACT/PR NO.			F. CONTRACTOR					
1. DATA ITEM NO.		2. TITLE OF DATA ITEM REQUEST FOR WAIVER				3. SUBTITLE NA					
4. AUTHORITY (<i>Data Acquisition Document No.</i>) DI-CMAN-80841B			5. CONTRACT REFERENCE NA			6. REQUIRING OFFICE NAVICP					
7. DD 250 REQ. LT		9. DIST STATEMENT REQUIRED		10. FREQUENCY ASREQ		12. DATE OF FIRST SUBMISSION ASREQ		14. DISTRIBUTION			
8. APP CODE A				11. AS OF DATE NA		13. DATE OF SUBSEQUENT SUBMISSION NA		a. ADDRESSEE			
16. REMARKS Block 6: Forward additional copy to ASD code cited in block 10.A on page 1. Description (DID) contains the format, content, and preparation instructions for the data product resulting from the work task described in paragraph 5.4.4.4 or 5.4.8.4.3 of MIL-STD-873. 2. Copies of the Request for Waiver form are available from the DODSSP Standardization Documents Order Desk, Building 40, 700 Robbins Avenue, Philadelphia, PA 19111-5084. 3. Format and content: The Request for Waiver format and content shall be in accordance with Appendix E of MIL-STD-873.								b. COPIES	Draft	Final	
								a. ADDRESSEE	Draft	Reg	Repro
								NAVICP/0733	00	01	00
15. TOTAL →								00	01	00	
1. DATA ITEM NO.		2. TITLE OF DATA ITEM				3. SUBTITLE					
4. AUTHORITY (<i>Data Acquisition Document No.</i>)			5. CONTRACT REFERENCE			6. REQUIRING OFFICE					
7. DD 250 REQ.		9. DIST STATEMENT REQUIRED		10. FREQUENCY		12. DATE OF FIRST SUBMISSION		14. DISTRIBUTION			
8. APP CODE				11. AS OF DATE		13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE			
16. REMARKS								b. COPIES	Draft	Final	
								a. ADDRESSEE	Draft	Reg	Repro
15. TOTAL →											
G. PREPARED BY M00382 0722 J	H. DATE 1988 JUN 22	I. APPROVED BY Robert W Hughes					J. DATE 1988 JUN 22				
DD Form 1423-2, JUN 80 S/N 0102-LF-010-5800 Previous editions are obsolete Page 3 of 3											